Bathroom
Fittings

ideal
STANDARD

Designer: Artefakt

Washbasin mixer
please refer to page 530

Bidet mixer
please refer to page 531

Bath Shower mixer | Shower faucets
please refer to page 532

Concealed units
please refer to page 534

Please refer to page XXX
for spare parts list

Welcome to the new generation of Slimline. Slimline II is characterized by all the advantages of the previous model, enhanced with more functionality, convenience and safety during use.

Finishes
AA Chrome

Designer: Artefakt

Description
Slimline II basin mixer, with 40mm click cartridge, hot water limiter, Easy-fix, metal handle, flexible hoses G3/8", new aerator and metal pop-up waste, chrome

Slimline II basin mixer, with 40mm click cartridge, hot water limiter, Easy-fix, metal handle, flexible hoses G3/8", new aerator and plastic pop-up waste, chrome

Alternative product
You can obtain a **maximum 5lt/min** flowrate with one extra component. Specifically:
Slimline II basin mixer **with a maximum 5lt/min flowrate**, with 40mm click cartridge, hot water limiter, Easy-fix, metal handle, flexible hoses G3/8, new aerator and metal pop-up waste, chrome. **Necessary codes to order: B8574AA (basin mixer) and B960754AA (regulator)**.

Slimline II basin mixer **with a maximum 5lt/min flowrate**, with 40mm click cartridge, hot water limiter, Easy-fix, metal handle, flexible hoses G3/8, new aerator and plastic pop-up waste, chrome. **Necessary codes to order: B8578AA (basin mixer) and B960754AA (regulator)**.

Recommended equipment
Aerator/regulator that provides a maximum 5lt/min flowrate.

Product	Article-No.
Basin mixer, metal waste	**B8574AA**
Basin mixer, plastic waste	**B8578AA**

Finishes
AA   Chrome

Bathroom Fittings

Bidet mixers

Designer: Artefakt

Description
Slimline II bidet mixer, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, Easy-fix, metal handle, flexible hoses G3/8", new ball-joint aerator and metal pop-up waste, chrome

Slimline II bidet mixer, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, Easy-fix, metal handle, flexible hoses G3/8", new ball-joint aerator and plastic pop-up waste, chrome

Alternative product
You can obtain a **maximum 5lt/min** flowrate with one extra component. Specifically:
Slimline II bidet mixer **with a maximum 5lt/min flowrate**, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, Easy-fix, metal handle, flexible hoses G3/8, new ball-joint aerator and metal pop-up waste, chrome. **Necessary codes to order: B8584AA (bidet mixer) and A963369AA (regulator)**.

Slimline II bidet mixer **with a maximum 5lt/min flowrate**, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, Easy-fix, metal handle, flexible hoses G3/8, new ball-joint aerator and plastic pop-up waste, chrome. **Necessary codes to order: B8585AA (bidet mixer) and A963369AA (regulator)**.

Recommended equipment
Aerator M18x1 for bidet mixer that provides a maximum 5lt/min flowrate.

Product	Article-No.
Bidet mixer, metal waste	**B8584AA**
Bidet mixer, plastic waste	**B8585AA**

Recommended equipment
Regulator 5lt/min for bidet mixer	**A963369AA**

Finishes
AA   Chrome

111.6

109.3

49.5

max 35

min 350

max 150

G3/8

Ø63

30÷50

G1 1/4

Ideal STANDARD

Designer: Artefakt

Description

Slimline II bath & shower exposed mixer, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, automatic diverter, metal handle, S-connectors and metal escutcheons, without accessories, chrome

Slimline II bath & shower exposed mixer, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, automatic diverter, metal handle, S-connectors and metal escutcheons, with accessories, chrome

Slimline II shower exposed mixer, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, metal handle, S-connectors and metal escutcheons, without accessories, chrome

Alternative product

You can obtain a **maximum 8lt/min** flowrate with one extra component. Specifically:
Slimline II bath & shower exposed mixer **with a maximum 8lt/min flowrate**, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, automatic diverter, metal handle, S-connectors and metal escutcheons, without accessories, chrome. **Necessary codes to order: B8587AA (B&S mixer) and A960453NU (regulator)**.

Slimline II bath & shower exposed mixer **with a maximum 8lt/min flowrate**, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, automatic diverter, metal handle, S-connectors and metal escutcheons, with accessories, chrome. **Necessary codes to order: B8588AA (B&S mixer) and A960453NU (regulator)**.

Slimline II shower exposed mixer **with a maximum 8lt/min flowrate**, with 40mm click cartridge, hot water limiter, 50% flow rate limiter, metal handle, S-connectors and metal escutcheons, without accessories, chrome. **Necessary codes to order: B8587AA (Shower mixer) and A960453NU (regulator)**.

Recommended equipment

Check valve with integrated flow regulator that provides a maximum 8lt/min flow rate.

Product	**Article-No.**
Bath & Shower mixer without accessories	**B8587AA**
Bath & Shower mixer with accessories	**B8588AA**
Shower mixer without accessories	**B8586AA**

Recommended equipment	
Check valve with regulator 8lt/min for B&S and Shower mixer	**A960453NU**

Finishes
AA   Chrome
NU   Neutral

Ideal STANDARD

Ø70 G1/2

G1/2

125

157

150±13

G3/4

B 8587 ..

G1/2

Ø70

114

58

150±13

G3/4

B 8588 ..

Ø70 G1/2

G1/2

51

150±13

B 8586 ..

Bathroom
Fittings

Ideal
STANDARD

Built in

Designer: Artefakt

Description

Slimline II bath & shower built-in mixer KIT 2, with automatic diverter and metal handle for combination with A2650NU KIT1

Slimline II shower built-in mixer KIT 2, with metal handle for combination with A2650NU KIT1

Necessary equipment

Bath & Shower built-in KIT 1 universal, with 47mm Click cartridge

Product	**Article-No.**
Bath & Shower built in mixer	**B8591AA**
Shower built in mixer	**B8590AA**

Necessary equipment

Kit 1 universal	**A2650NU**

Finishes
AA   Chrome
NU   Neutral

B 8591 ..

B 8590 ..

Ideal STANDARD